# MAXHUB XBoard V7 Series

## For Microsoft Teams Rooms

Model : V925T

The MAXHUB XBoard is a Windows-based, all-in-one collaboration solution designed for meeting rooms and huddle spaces. It consists of a high-resolution 4K LCD touch display, a triple-camera system, crystal-clear speakers and a 16-microphone array.  As a certified Microsoft Teams Room device, the MAXHUB XBoard offers seamless colloboration and immersive video conferencing experiences.




### Professional 4K Display

High color accuracy, ΔE≤1.5
Wide color gamut, NTSC 90%
Non-glare technology, 25% haze

### Seamless Collaboration

Built-in touch display and Microsoft whiteboard for real-time collaboration

### Triple-Camera System

Equipped with one wide-view lens and two tele-view lens to provide clear view for all room participants

### AI-Powered Video Technology

Auto framing
Speaker tracking
Multi-speaker tracking
Intelligent focus

---

### Premium Audio

Built-in 16-beamforming microphone array,
Built-in stereo speakers
AI-powered noise reduction
Full-duplex communication

### Flexible  Content Share

Wired 4K content share via HDMI *
Wireless content share via wireless dongle, MAXHUB Share app, Airplay

* : Available in Q4 2024 via firmware update.

### BYOD Mode

Plug-and-play , an accessible way to  switch between Teams Rooms mode and BYOD mode

### Secured and Managed

Windows 11 IOT
MAXHUB Pivot Support

# V865T



| Display | |
|---|---|
| Model | V925T |
| Screen Size (Inch) | 92 |
| Aspect Ratio | 21:9 |
| Panel | VA |
| Backlight | DLED |
| Brightness (Typ.) | 450 nits |
| Glass | Zero parallax<br>3mm thickness<br>9H Tempered |
| Surface Technology | 25% haze<br>Non-glare technology |
| Resolution | 5120 × 2160 |
| Refresh Rate | 60 Hz |
| Contrast Ratio | 1200:1 (typ.) |
| Viewing Angle (H × V) | 178° / 178° |
| Color Gamut | 90% NTSC |
| Display Orientation | Landscape |
| Response Time | 8 ms |
| Life Time | ＞50,000 hours |
| Operation Hours (Hour / Day) | 16 / 7 |
| Display Color | 1.07 B (10 bit) |
| Color Accuracy | Delta E ≤ 1.5 |
| Sensor | Ambient light sensor<br>Motion Sensor |
| Pixel Pitch | 0.41835 (H) × 0.41835 (V) mm<br>0.0165 (H) × 0.0165 (V) inch |
| Display Area | 2141.952(H) × 903.636(V)mm<br>84.33(H) × 35.58(V) inch |

| Power | |
|---|---|
| Power Supply | 100-240V~ 50/60Hz 5.0A |
| Standby Power | ≤ 0.5 W |
| Power Consumption (Typ.) | 275 W |
| Power Consumption (Max.) | 495 W |

| Touch System | |
|---|---|
| Touch Technology | Intelligent Touchscreen Technology<br>(infrared recognition) |
| Touch Point | 50 points touch |
| Object Recognition Range | ≥ 1.5 mm (0.06 inch) |
| Accuracy | ± 0.5 mm (0.02 inch) |
| Response Time | ≤ 2.5 ms |
| Writing Height | ≤ 1 mm (0.04 inch) |

| Physical Specification | |
|---|---|
| Dimension (W × H × D) | 2201.7 × 1018.1 × 87.3mm<br>86.7 × 40.1 × 3.4 inch |
| Shipping Dimension (W × H × D) | 2360 × 1140 × 225 mm<br>93 × 44.9 × 8.86 inch |
| Thickness of machine and wall mount | 130 mm (5.12 inch) |
| Wall-hanging Screw Spec | M8 × 25 mm (0.98 inch) |
| VESA | 800 × 600 mm<br>31.5 × 23.6 inch |
| Net Weight | 66 kg / 145.5 lbs |
| Gross Weight | 85 kg / 187.4 lbs |

| Connectivity | |
|---|---|
| **I/O Ports (Interactive Display)** | |
| HDMI In (2.0) × 2 | To connect an external source |
| USB-A 2.0 × 1 | To pair with wireless dongle - WT13M / WT13S<br>To connect keyboards or mouse, etc. |
| Touch (USB-B 2.0) × 1 | To connect a personal laptop for BYOD mode (access to XBoard's camera & microphone) |
| Audio In × 1 | To connect an external audio source to make XBoard a speaker |
| Audio Out × 1 | 3.5 mm mini-jack, to connect an external speaker system |
| RS232 × 1 | 9 pin |
| Mic In (RJ45) × 1 | To connect up to a maximum of two UC BM45 as expansion speakerphones |
| Wireless Access Point | Yes (for wireless presentation ) |

| Camera | |
|---|---|
| Wide Camera | 50MP × 1<br>DFOV 99°, HFOV 86° |
| Telephoto Camera | 50MP × 2<br>DFOV 68° (combined), HFOV 63° (combined) |
| Zoom | 5x hybrid zoom |
| Privacy Shutter | Yes |
| AI Features | Auto Framing<br>Speaker Tracking<br>Multiple-speaker Tracking<br>Intelligent Focus |

| Audio | |
|---|---|
| Sound Channel | 2.1 |
| Speaker Power | 2 × 10W + 20W |

| Microphone | |
|---|---|
| Quantity | 16-mic array |
| Pick-up Angle | 180° |
| Pick-up Range | Best distance – 8m / 26.2ft<br>Maximum distance 15m / 49.2ft |
| Feature | Intelligent audio fence<br>AI spatial sound<br>AEC (Auto echo cancellation)<br>ANC (AI noise cancellation)<br>AGC (Auto gain control) |

| Environmental Conditions | |
|---|---|
| Operating Temperature | 0°C~40°C |
| Storage Temperature | -20°C~60°C |
| Operating Humidity | 10%~90% RH |
| Storage Humidity | 10%~90% RH |
| Altitude | Below 5000 meters |

| PC Module (Slot-in, included in the package) | |
|---|---|
| CPU | 12th gen Intel Core i5 – 1240p |
| GPU | Intel® Iris® Xe Graphics eligible |
| Memory | 16GB DDR4 (8GB x2) |
| Storage | 256GB SSD (M.2) |
| Operating system | Windows 11 IOT |
| TPM 2.0 | Yes |
| Inputs & Outputs | USB-A 3.0 x3<br>HDMI In (2.0) x1 *<br>(Content share in Teams Rooms mode)<br>HDMI Out × 2<br>(For future use , do not support a 2nd display in teams room mode currently)<br>RJ45 × 1 (Ethernet)<br>RJ45 × 1<br>(For optional touch console - TCP30T) |
| Wi-Fi | Wi-Fi 6 |
| Bluetooth | Bluetooth 5.1 |

* NOTE: HDMI In x 1 (content share in Teams Rooms mode): Available in Q4 2024.

| Accessory (included in the package) | |
|---|---|
| Wireless Module | (AP) |
| HDMI Cable (3 m / 9.8 ft ) | × 1 |
| Power Cord | × 1 |
| Passive Stylus | × 2 |
| Wall mounts kits | × 1 |

| Certification | |
|---|---|
| Safety | IEC 62368-1 |
| EMC | Class B |

| Warranty |
|---|
| 3 years warranty |

| Accessory (optional) | |
|---|---|
| Mobile Stand | ST33M / ST23G |
| Expansion Speakerphone | UC BM45 |
| Wireless Share Dongle | WT13M / WT13S |
| Touch Console | TCP30T (available in Q2 2025) |



ST33M



ST23G



WT13M/WT13S



UC BM45



TCP30T

wyswietlanie.pl
from unikomp

(32) 210 22 11 609 610 393

sklep@wyswietlanie.pl

ul. Dworcowa 8, 43-200 Pszczyna

**Zapytaj o cenę specjalną**

MAXHUB

Where Inspiration Moves Ahead.

www.maxhub.com sales@maxhub.com https://www.youtube.com/c/MAXHUB https://www.facebook.com/MAXHUB.Global

https://www.linkedin.com/company/maxhub-overseas/