#### **Product Datasheet**



# AVer VC320 Conference Camera

# Portable All-in-One Conference Camera for Huddle Rooms

#### **Package contents**

- VC320 main unit
- Remote control
- Power adapter
- 5M USB cable
- HDMI cable
- Quick-start guide

#### Camera

- Full HD 1080p at 30 frame per second
- UVC1.1 YUV/MJPEG with H.264 extension
- · Glass multi-coating lens with 110° field of view
- F-stop: F2.0
- 5X zoom (including 1.7X lossless zoom)
- Smooth and fast electronic pan, tilt and zoom
- Manual tilt: ±10°
- Fixed-focus lens support 1 meter to infinity
- EZCrop\* one button auto crop all faces detected into full frame
- Camera privacy shutter button
  - \*button on remote control

#### Speakerphone

- Integrated full duplex speakerphone with echo cancellation and noise suppression
- 360° wideband audio with 15-foot diameter range
- USB, Bluetooth and NFC enabled
- Bluetooth: HFPF, HSP, A2DP, BLE; Bluetooth
  4.0 Class II 10M range
- Capable of bridging USB and Bluetooth call
- Mute button on remote, LED indicator on unit

#### Microphones (Tx)

- 1 omni-directional microphones
- Frequency response: 100Hz 16KHz
- Sensitivity: -36dB +/-3dB
- Distortion: <1% @ 1KHz at 110dB</li>

#### Speakers (Rx)

- Frequency response: 270Hz 16KHz
- Sensitivity: 80dBSPL +/-3dB at 1W/1M
- Max output: 90dBSPL at 0.5M
- Distortion: <5% at 179Hz 10kHz</li>
- 5W speaker

#### Remote control

Dockable infra-red remote control

#### **Screen mirroring**

- HDMI input and output
- · 2.1A port for powering Chromecast or



specified 3<sup>rd</sup> party wireless display adapter for wireless screen mirroring

#### Convenience and security

- Battery life: up to 2 hours videoconferencing or 8 hours Bluetooth audio call
- Battery rechargeable through AC power (adapter included)
- Time to fully charge battery (from AC power, device idle): 3 hours
- Standard tripod thread
- Kensington security slot

#### System requirements\*

- Windows 7, 8, 8.1, 10
- Mac OS X 10.7 or higher
- Google Chromebook or Chromebox 29.0.1547.70 Platform 4319.79.0 with:
  - 2.4GHz Intel Core 2 Due Processor
  - 2GB RAM or more
  - Hard drive space for recorded videos
- USB 2.0 port

#### **Power supply**

- AC 100V ~ 240V
- Consumption: 12V/2A

#### **Environmental data**

- Physical characteristics: 0~35°C
- Operation humidity: 20%~80%
- Storage temperature: -20~60°C
- Storage humidity: 20%~80%

#### **Physical characteristics**

- Package dimensions: 354 x 233 x 158 mm
- Package weight: 0.45kg / 1lbs
- Camera: 65 x 100 x 300 mm / 0.895kg
- Remote control: 150 x 45 x 11 mm / 0.040kg

#### **Compliance and tools**

- YUV, MJPEG, H.264 SVC\*, AVC (high and base profile)
- USB 2.0 UVC (USB Video Class) 1.1 with H.264 extension
- HDMI 1.3
  - \*This feature will be available in the future.

#### Compatible applications

Skype™, Microsoft® Lync, Google Hangouts™, FaceTime®, Cisco Webex®, GoToMeeting®, Adobe®



### **Product Datasheet**



Connect<sup>™</sup>, BlueJeans, Zoom, Vidyo<sup>®</sup>, Fuze, WebRTC

#### **PTZApp**

- Free download for Windows® and Mac® Support Skype<sup>TM</sup> Plugin for answering and hanging up via remote control
- Firmware field upgrade
- Advance device setting and diagnostic



#### **EZHuddle Mobile App**

- Free download from iOS and Android app stores
- Control camera using the app
- Advanced control of VC320 via EZHuddle, including allowing the initial caller to control who can hear the conversation

Warranty\*\*

3 year: camera 1-year: accessories

\* For Full HD support, please check with your software application provider for system/hardware requirements.

\*\* For detailed warranty information, please contact an AVer representative.

\*\*\* As phones or tablets may vary, please check your mobile device specs or contact manufacturer.



## **Product Datasheet**



Hardware Specifications Front panel

#### **Back panel**





S232 USB HDMI DIP DC 12



