LightStream™ Widescreen (WXGA 1280 x 800) Networkable Short Throw Projector

PJD6552Lws



The ViewSonic LightStream™ PJD6552Lws networkable, short throw projector can create 100" screens from only approximately 100cm from the wall. With a stylish white chassis and exclusive rear cable management cover, it also features 3,500 lumens, 22,000:1 contrast and high resolution widescreen images (WXGA 1200x800). Flexible connectivity is spearheaded by 2x HDMI which offers support for optional Wi-Fi dongles and wireless media transfer. Best in class colour & sound performance are powered by an exclusive SuperColor™ 6-Segment Color Wheel and SonicExpert™ audio technology, whilst DynamicEco® mode extends lamp life up to 10,000 hours.

Short Throw Lens for Large Projections in Small Places

The short throw lens enables large images to be projected from short distances in small rooms (100" screen from approximately 100cm from the wall). This means there are no distracting shadows on the projected image, and no blinding lights in the eyes of presenters.



Widescreen Brilliance

With high resolution widescreen images (WXGA 1280 x 800), this projector is perfect for wide-format presentations, movies, gaming, and sports. It is also compatible with other common display resolutions like 4:3.



Network Control to Simplify Maintenance

Control and maintain up to 256 projectors through a single computer. Thanks to industry wide Crestron RoomView®, AMX and PJ-Link software users have access to a real-time alert system that sends status updates regarding power, lamp life and unit presence to simplify maintenance efforts.



HIGH-DEFINITION MULTIMEDIA INTERFACE

2x HDMI with 3D Support

Equipped with two HDMI ports, this projector is perfect for connecting to any HDMI-enabled device such as laptops, tablets, games consoles and DVD or Blu-ray players. It also supports 3D images directly from 3D sources.



Optional Wireless (WiFi) Presentation

Convert your projector into a smart display and wirelessly transmit various kinds of business and entertainment material from Smartphones, tablets and computers.



Beautiful Design with Rear Cable Cover

With its matte hairline finish, curved edges and tactile keypad this LightStream Projector stands out from the competition. A cable cover completes the look by hiding cable clutter and exposed ports at the rear.



SuperColor™: Best in Class Color Accuracy

ViewSonic’s proprietary SuperColor™ Technology offers a wider colour range than conventional DLP projectors for true-to-life color performance in any light. SuperColor™ 6-Segment Color Wheel maximizes brightness Increased by 15% or more with the highest color saturation over others in the same class.



SonicExpert™ Technology For Best-in-Class Sound

ViewSonic’s exclusive SonicExpert technology incorporates a ported speaker chamber and a more powerful amplifier to deliver up to 7x higher volume and the absolute best-in-class sound.




Easy-of-Use Pre-Set Colour Modes

Providing 5 pre-set colour modes, users can choose the best one to suit their material: Brightest, Dynamic, Standard, ViewMatch or Movie.



Horizontal & Vertical Keystone Correction

Horizontal & vertical keystone correction plus a corner adjustment feature eliminate crooked and distorted images for a perfectly proportioned picture every time.



Easy Remote and App Use

A programmable “MyButton” can be configured to launch the most commonly used functions whilst a single remote can also control up to eight projectors in the same venue. A free App (called 'vRemote') also allows users to control a projector via a mobile device.



Technical Specifications

Product Specification		
	Resolution	WXGA (1200 x 800)
	Brightness (ANSI Lumens)	3,500
	Contrast (with Dynamic Contrast Ratio)	22,000:1
	Lamp Hour (Normal / Eco / DynamicEco)	4,000 / 10,000
	Throw Ratio in Meters (Wide ~ Tele)	0.49

	Optical Zoom	Fixed
	Digital Zoom	2.0x
	Screen Size	30" ~ 300"
	Projection Offset	130% +/- 5%
	Display Colours	1.07 Billion Colours
	Keystone	+/- 30° (Horizontal & Vertical)
	Noise min (Normal / Eco)	32dB/27dB
	Speaker	10W x 1
Input Connectivity	HDMI In	2 (1 is MHL)
	VGA-in	2
	Component Input	shared with VGA-in
	S-Video	1
	Composite Input	1
	Audio-in (3.5mm)	2
	Audio-in (RCA pair)	NA
	USB Type A	NA
	USB Type B	NA
	Mini USB	1 (USB display)
	Microphone in (3.5mm)	Share with audio in 2
	SD Card reader	NA
Output Connectivity	VGA-out	1
	Audio-out (3.5mm)	1
Control	RS232 (9 pin)	1
	Network Mangment (LAN cable)	1
	12V Power Trigger	NA
PC / Mac	Video/Audio Streaming	Yes (optional WPG-300)
	Extend/Mirror display	Yes (optional WPG-300)
	4-in-1 Spilt screen	Yes (optional WPG-300)
	1 to many projection	NA
iOS / Android	DOC file streaming (read only)	Yes (optional WPG-300)
	Live CAM	Yes (optional WPG-300)
	Live Draw	Yes (optional WPG-300)
	Clound service (Drop box)	Yes (optional WPG-300)
	WiFi (single band or dual band)	Yes (optional WPG-300)
	Miracast	Yes (optional WPG-300)
	DLNA	NA

	Bridge to ethernet	NA
	Video/Media streaming	Yes (optional WPG-300)
Advanced Features	3D Compatible (optional PGD-350 3D glasses required)	Yes
	Interactive (optional PJ-PEN-003 required)	NA
	Low Power Standby	<0.5W
	3 sec. on / 0 sec. off	Yes
	Wireless Display	Optional (WPG-300)
	Network Control	Yes
	Network Display	Yes
	Auto Keystone	NA
	Microsoft Office Viewer	Yes
	Sleep Timer	Yes
	Presentation Timer	Yes
	Password Protection	Yes
	Security Bar	Yes
	Keypad Lock	Yes
	Customized Start-up Screen	NA
	DynamicEco / Movie mode / Contrast	Yes / Yes / Yes
Dimensions and Power	Dimension (WxDxH)	316 x 228 x 103.7 mm
	Net Weight	2.6kg
	Power Source	100V ~ 240V / 50~60Hz
	Power Consumption	330W (Max)
Supplied Accessories	Power cord	1
	VGA cable	1
	HDMI cable	NA
	Remote Control (with batteries)	1
	Cable cover	Yes
	Quick Start Guide & CD	Yes
	Carry bag	NA
Optional Accessories	PGD-350 (3D glasses x1)	Yes
	PJ-PEN-003 (2x interactive pens and infrared module)	NA

	PJ-WMK-401 (wall mount kit for Ultra Short Throw projectors)	NA
	PJ-WPD-200 (USB WiFi dongle)	NA
	WPG-300 (HDMI-MHL WiFi dongle)	Yes
	WPD-100 (USB WiFi dongle)	NA
	WPG-370 (wireless presentation box)	Yes
Languages	On Screen Display	English, French, Spanish, Thai, Korean, German, Italian, Russian, Swedish, Dutch, Polish, Czech, Turkish, Portuguese, Finnish, Indonesian, Indian, Arabic, T. Chinese, S. Chinese

ViewSonic® Limited Warranty

ViewSonic provides customers with the security of a manufacturers warranty against defected products. The type and duration of the applicable warranty service varies by product type, country of purchase and can also vary on an individual basis according to customer requirements agreed at time of purchase. The warranty will expire after the end of the warranty period.

For more product information, visit us at **www.viewsoniceurope.com**

All rights reserved by ViewSonic Corporation. All other Corporate names and trademarks are the property of their respective companies. E&EO. All prices and specifications are subject to change without written notice. Images are for illustrative purpose only. Terms & Conditions Apply.